







MULTIOVEN

SMART KITCHEN APPLIANCES DESIGNED FOR THE NEXT GENERATION









Behind 1,300+ 5-Star Reviews is 16 Years of Listening

TOTAL REVIEW UP TO

1300+



MALAYSIA'S NO 1 KITCHEN APPLIANCES BRAND WITH THE MOST 5 STARS GOOGLE REVIEWS

At SENZ, we believe a kitchen appliance is not just a piece of technology - it's a part of your everyday life.

From the very first satisfied customer to now over 1,300+ 5-Stars Google Reviews, we've never forgotten one simple truth:

- O Listening to our customers is more important than just adding features
- O Solving real kitchen problems matters more than flashy advertising

This trust wasn't built overnight.

It comes from our unwavering commitment to things that matter:

Every after-sales call we return within 3 hours:

- O Every product designed for both young families and elderly users.
- O Every detail from our auto-clean cooker hoods, to intelSync technology, to anti-dry burning technology,
- O Even taking the time to provide tutorials video to all our products for customer who need help learning how to use their appliances:

RC

Their customer service was so patient — even my parents learned how to use it.

CC

They have their own expert in-house technician — smooth and professional from start to finish.

GG

Stylish, quiet, and hasslefree — absolutely no regrets.

7

These aren't our words.

They're the voices of over 1,300+ real customers who trusted us and spoke up.

Today, SENZ is more than just a kitchen appliance brand.

We're a smart kitchen appliances for the next generation — and the brand people feel confident recommending to their family and friends.

WE'LL NEVER STOP INNOVATING.

BUT MORE IMPORTANTLY, WE'LL NEVER STOP LISTENING TO YOU.
THAT IS — AND ALWAYS WILL BE — OUR CORE PROMISE.

CSR PROGRAM - SPONSOR OF THE APPLIANCES INITIATIVE



At SENZ, we believe in giving back to society and nurturing future generations. With great pride, we announce our contribution of premium kitchen appliances to schools in need through our CSR initiative — empowering young chefs to shape a brighter tomorrow.









SMK PUCHONG PERDANA







SJK (C) TAMAN CONNAUGHT







SMK KAJANG UTAMA













PREMIUM NEW

ZAFFIRO DC Diamond Shape intelClean™ Cooker Hood Retail Price: EM: RM4,199 WM: RM3,999

Model No: SZ- CH9980DC



Key Features

- Al Grease Smart Function
- 2000 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Ultra-Quiet Operation
 Heat Auto Cleaning Function
 Equip with intelSync Technology

Additional Practical Features

- BLDC Motor
- 5x Larger Metal Oil Cup
- LED lighting Removable Magnetic Metal Filter

Installation Accessories Included

- 1 pcs Washable Metal Filter
- 2 pcs Metal Chimney Cover
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top
- Electric Hob: 300 450mm
- Gas Hob : 400 500mm

Optional Accessories

Charcoal Filter

Plug Used













Noise Level





Al IntelSync

Metal Filter

Al Grease





AURORA DC Heat Pro intelClean™ Cooker Hood

Model No: SZ- CH9050AC (Auto Cleaning)



Key Features

- Al Grease Smart Function
- 1950 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Ultra-Quiet Operation
- Heat Auto Cleaning Function Equip with intelSync Technology

Additional Practical Features

- BLDC Motor
- 5x Larger Metal Oil Cup
- LED lighting
- Removable Metal Filter

Installation Accessories Included

- 1 pcs Washable Metal Filter
- 2 pcs Metal Chimney Cover
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob: 300mm ~ 450mm - For Gas Hob: 400mm ~ 500mm

Optional Accessories

Charcoal Filter

Retail Price: EM: RM4,099 WM: RM3,899

Plug Used









Al Grease Smart Function



BLDC Motor



Noise Level as low as 45dB



Al IntelSync Technology



Heat Auto Cleaning



KARINO Twin Burner Gas Stove with intelSync Technology Retail Price: EM: RM2,199 WM: RM1,999

Model No: SZ- GS3898



Key Features

- · Equip with intelSync Technology (a) Smart AI ON / OFF Function (b) Smart Al Speed Adjustment
- Square Plate Base with Integrated Wok Rack
- 5.4kw/h Heat Intensity
- 0-Second Ignition Safety Valve
- 10 Seconds Auto Cut-Off
- Gloss Finished, Heat Resistance Ceramic Glass FureX

Additional Practical Features

- Battery Operated Auto-Ignition
 Exclusive SENZ Logo on Burner Cap
- Removable Burner Cap

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In



















Exclusive SENZ Logo on Burner Cap



Futex Glass Heat Resistance Tempered Glass

Al IntelSync



ESTILLA GreaseGuard Heat Pro intelClean™ Cooker Hood Retail Price: EM: RM3,949 WM: RM3,749

Model No: SZ- CH9090AC



TripleGuard Filters

Up to 99%* of Grease

Key Features

- Latest Angled Design
- Innovative TripleGuard Filters
- 1950 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Heat Auto Cleaning Function

Additional Practical Features

- 5x Larger Metal Oil Cup
- LED lighting
- Removable TripleGuard Filters

Installation Accessories Included

- 2 sets Washable TripleGuard Filters
- Chimney Cover
- 1st Glass Chimney - 2nd Metal Chimney
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)



Heat Auto

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob: 300mm ~ 450mm
- For Gas Hob: 400mm ~ 500mm

Optional Accessories

Charcoal Filter

Plug Used



PREMIUM NEW

CALLISTER AlGuard Cooker Hood with PM 2.5 Function

Model No: SZ-CH9286DC



Key Features

- Angled Design with Black Glass Finish
- Smart AlGuard Technology
- Al-Powered Efficiency
- 2200 m3/h Suction Power
- Motion Sensor Technology Ultra-Quiet Operation
- Heat Auto Cleaning Function

Additional Practical Features

- 5x Larger Metal Oil Cup
- LED lighting
- Stylish Color Display Panel
- Retractable Glass Panel

- 2 pcs Metal Chimney Cover
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top - For Electric Hob: 300mm ~ 450mm
- For Gas Hob: 400mm ~ 500mm

Optional Accessories

Charcoal Filter

Retail Price: EM: RM3,999 WM: RM3,799

Plug Used





- 1 pcs Washable Metal Filter
- Stainless Steel Wall Cap • 3 meters Aluminum Hose



Motion Sensor Technology



BLDC

Motor



Noise Level as low as 45dB



Smart Al Guard



Heat Auto Cleaning



CH938iAC Twin Turbo Motor intelClean™ Cooker Hood Retail Price: EM: RM3,749 WM: RM3,549

Model No: SZ- CH938iAC



Key Features

- Latest Angled Design
- Twin Motor with Standalone Operation
- 2000 m3/h Suction Power
- Motion Sensor Technology
- Heat + Steam Auto Cleaning Function

Additional Practical Features

- 5x Larger Metal Oil Cup
- LED lighting
- Removable Aluminum Filter & Panel Glass

Installation Accessories Included

- · 2pcs Washable Stainless Steel Filter
- 2 pcs Metal Chimney Cover
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)



Motion Sensor Twin Motor





Twin Motor with **Standalone Operation**



Motor can be Clean



Dual Auto Cleaning (Heat and Steam)

Recommended Installation Height • From bottom of hood to your counter top

- For Electric Hob: 300mm ~ 450mm
- For Gas Hob: 400mm ~ 500mm

Plug Used



. 13amp





INFINITYZONE Induction Cooker

Model No: SZ- DI798-M

Key Features Vertical Design

- Matte Finished, Heat Resistance Ceramic Glass FUTEX
- InfinityZone Heating Design
- -Flexible induction cooking zone • 4400W Power Output
- Sleek Touch Control with LED Display
- Pattern-Finished Glass
- 24 Hours Timer Function
- 120 Minutes Auto Cut-Off
- Electronic Overheating Protection

Additional Practical Features


- · Auto Adjusts its Power Consumption Based on the Size of Your Cookware
- Child Safety Lock

Installation & Compatibility

- Power Supply 220 240V ~ 50Hz
- Installation Type Free Standing or Built-In

- Standby Electricity 2W

Plug Used:




Retail Price: EM: RM3,799 WM: RM3,599

Suitable for these cookware













INFINITYZONE Induction Cooker





Model No: SZ- DI798-G

- Vertical Design Gloss Finished, Heat Resistance Ceramic Glass ™X
- InfinityZone Heating Design -Flexible induction cooking zone
- 4400W Power Output
- Sleek Touch Control with LED Display
- Gloss-Finished Glass
- 24 Hours Timer Function
- 120 Minutes Auto Cut-Off
- Electronic Overheating Protection

Additional Practical Features

- · Auto Adjusts its Power Consumption Based on the Size of Your Cookware
- Child Safety Lock

Installation & Compatibility

- Power Supply 220 240V ~ 50Hz
- Standby Electricity 2W
- Installation Type Free Standing or Built-In

Plug Used:



Retail Price: EM: RM3,799 WM: RM3,599

Suitable for these cookware







Model No: SZ- GS9888

Retail Price: EM: RM3,099 WM: RM2,899

Plug Used:

Claypot

Steel

Copper

Direct Built-in

Suit for all cookware materials

Ceramic

Steel

Cast Iron

Glass

Aluminium

Non-stick

wiring



Remarks: This model is equipped with anti-dry burning technology to enhance safety measures. It activates automatically when temperatures reach 290°C or higher to prevent overheating and potential accidents. Thus constant deep frying in high temperature might actives anti-drying technology as a safety measures that you may take into consideration. Due to the unique heat concentration properties of claypots, they may trigger this automatic turn off gas function. Therefore, we do not recommend using claypot and ceramic cookware on the burner that equipped with Anti-Drying Technology.

Key Features

- Anti-Dry Burning Technology
- 30% Wider Burner Distance
- 180 Minutes Timer Function
- 5.3kw/h Heat Intensity
- 0-Second Ignition
- Safety Valve
- 10 Seconds Auto Cut-Off
- NANO Coating, Heat Resistance Ceramic Glass

Additional Practical Features

- Battery Operated Auto-Ignition
- Flexible Base Design
- Removable Burner Cap
- Special Windshield Wok Rack

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In









Key Features

- · Equip with intelSync Technology
- Smart AI ON / OFF Function
- Special Stainless Steel Frame
- 99 Minutes Timer Function
- 5.3kw/h Heat Intensity
- 0-Second Ignition
- Safety Valve
- 10 Seconds Auto Cut-Off
- Gloss Finished, Heat Resistance Ceramic Glass FureX

Additional Practical Features

- · Battery Operated Auto-Ignition
- Exclusive SENZ Logo on Burner Cap
- Removable Burner Cap Sealed Burner Design

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2900 kPA
- Installation Type Free Standing or Built-In





















Energy Saving

Wok Rack







Up to 180 Minutes



Anti-Dry Burning



Nano Coating

CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards



TRESOR Anti-Dry Burning Technology Tri-Plate Burner Gas Stove Retail Price: EM: RM2,199 WM: RM1,999

Model No: SZ- GS8355



Key Features

- 3 Plate Burner Gas Stove Anti-Dry Burning Technology
- 30% Wider Burner Distance
- 180 Minutes Timer Function
- 5.3kw/h Heat Intensity
- 0-Second Ignition
- Safety Valve
- 10 Seconds Auto Cut-Off
- NANO Coating, Heat Resistance Ceramic Glass

Additional Practical Features

- Battery Operated Auto-Ignition
- Flexible Base Design
- Removable Burner Cap
- Special Windshield Wok Rack

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In

5.3 Anti Dry Burning First in 5.3kW Heat Battery Technology Malaysia Intensity Ignition MS г∪тқХ **©** CAUTION

WARNING!!

WARNING!!

DO NOT ATTEMPT TO ADJUST THE POSTION OF THIS GAS CONNECTOR!



Steel Frame







Al IntelSync Technology



Timer Up to 99



Exclusive SENZ Logo on Burner Cap

CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards



PREMIUM X NEW

R13600i 2 in 1 Tri-Ringz Smart Cooker

Model No: SZ- RI3600i

Key Features

- Matte Finished, Heat Resistance Ceramic Glass FureX
- Dual Heating Zone
- Tri-Zones Ceramic Heating
- 4600W Power Output
- 13 Heat Levels Adjustment • Sleek Touch Control with LED Display
- Matte-Finished Glass
- 24 Hours Timer Function
- 60 Minutes Auto Cut-Off

• Electronic Overheating Protection

- **Additional Practical Features** Cooking Functions
- High Power Output
- Energy Efficient

Child Safety Lock

- **Installation & Compatibility** • Glass Size - 750mm (W) x 420mm (L)
- Built-In Hole Dimension 730mm (W) x 400mm (L)
- Power Supply 220 240V ~ 50Hz
- Standby Electricity 2W • Installation Type - Free Standing or Built-In





Surface













Energy Saving Wok Rack



Tempered Glass

turn off gas function. Therefore, we do not recommend using claypot and ceramic cookwar




Up to 180











Model No: SZ- RI8800i



Key Features

- Triple Heating Zone
- 4000W Power Output 3200W (Power Sharing - Left & Right) + 800W (Middle)
- Heating Element
- Wattage-Based Heat Adjustment
- Sleek Touch Control with LED Display
- Matte-Finished Glass
- 24 Hours Timer Function
- 60 Minutes Auto Cut-Off
- Electronic Overheating Protection

Additional Practical Features

- Cooking Functions
- High Power Output
- Energy Efficient
- Child Safety Lock

Installation & Compatibility

- Glass Size 860mm (W) x 450mm (L)
- Built-In Hole Dimension 840mm (W) x 435mm (L)
- Power Supply 220 240V ~ 50Hz / 60Hz Standby Electricity – 2W
- Installation Type Free Standing or Built-In

Plug Used:

Direct E wiring Direct Built-in

Suit for all cookware materials





PREMIUM NEW

Special Rose Gold

Frame Design

RC8200i LED Button Double Ceramic Multicooker

Model No: SZ- RC8200i



of Heat Adjustment

Key Features

- Gloss Finished, Heat Resistance Ceramic Glass ™X
- Dual Heating Zone
- 4400W Power Output
- Heating Element
- 12 Heat Levels Adjustment Sleek Invisible Touch Control with LED Display
- Gloss-Finished Glass
- 24 Hours Timer Function
- 60 Minutes Auto Cut-Off
- Electronic Overheating Protection

Additional Practical Features

- Special Rose Gold Frame
- Cooking Functions
- High Power Output
- Energy Efficient Child Safety Lock

Installation & Compatibility

- Glass Size 765mm (W) x 435mm (L)
- Built-In Hole Dimension 730mm (W) x 400mm (L)
- Power Supply: 220 240V ~ 50Hz / 60Hz
- Standby Electricity: 4W
- Installation Type Free Standing or Built-In

Plug Used:

Retail Price: EM: RM3,399 WM: RM3,199



Direct Built-in wiring wiring

Suit for all cookware materials



PREMIUMX

ALL-IN-ONE FLEXI STEAM PRO intelClean™Oven

Model No: SZ- SOV70108

PREMIUM Collection

Highlights:

• All in 1 Functions - Steam, Bake (8 baking modes), Air-Fry, Steam + Grill

All-in-One Flexi Steam Pro

- 70 Litres Capacity
- 108 Preset Auto Menu
- 24 Hours Digital Time Display

All in 1 functions

- Fermentation
- Disinfection Mode
- Keep Warm Function
- Steam Auto Cleaning Function
- Drying
- Defrost

Additional Practical Features

- Triple Glazed Removable Tempered Glass
- Removable Door
- Removable Inner Rack
- 1000ml Capacity External Water Container
- Child Safety Lock

Installation & Compatibility Voltage/Frequency

- Power Consumption
- Interior Material Installation Type

Accessories Included:

- Baking Tray x1
- Drip Tray x1
- Air Fry Basket x 1
- Inner Rack x2

Plug Used:





Retail Price: EM: RM6,199 WM: RM5,999

108 Auto



108 Auto Menu

70L Capacity









Smart Auto







Keep Warm



Remarks: There will be a variance of +20°C from the temperature set during operation. *Purchase with purchase (PWP) is applicable with purchase of Multihood + Multicooker package only





BC1008 Retro Multi-Functional Chiller

Model No: SZ-BC1008



Highlights:

- 4 Stylish Color
- 85 Litres Capacity • Free Standing Design
- Temperature Range 2°C~20°C
- Low-E Glass Door
- Electronic Touchpad Control
- LED Display Light

Additional Practical Features

- Retro Style Curve Handle
- Removable Shelf
- Child Safety Lock

Installation & Compatibility

- Power Consumption 220V-240V~50Hz
- Operation Frequency 60W
- Product Dimension
- 480mm (W) x 440mm (L) x 880mm (H)
- Installation Type Free Standing / Portable Only

Accessories Included

- Wire Flat Shelf x 4
- Adjustable Foot x4

Optional Accessories

Wooden Rack

Plug Used:



A CAUTION!	
*	FROST OR WATER OROPLETS may form inside the cooler during use, which is normal and won't affect its function.
P	AVOID LEANING ON OR PRESSING the open door of the cooler to prevent it from tilting forward.
0	TO PREVENT items from falling out when opening the door, avoid overfilling the cooler.
(Jc)	It's normal for the sides of the cooler to become WARM due to refrigeration. Exercise caution.

Retail Price: EM: RM2,899 WM: RM2,699



LED Light

Low Emissivity Glass (Low-E)





Curve Handle




for Easy Cleaning


DIMENSION












DIMENSION


SENZ INFINITY ZONE(DI798)





SENZ RI3600i

SENZ RC8200i










CRISTAL(GS6255) / TRESOR(GS8355


For Existing Hole

SENZ


Dimension 800-830mm 440-470mm


For New House






SENZ













REMIUM NEW

ADEL Compact L Shape HeatPro intelClean™ Cooker Hood

Retail Price: EM: RM3,099 WM: RM2,899

Model No: SZ- CH9560DC



Key Features

- Compact L-Shape Design
- 2000 m3/h Suction Power + Turbo Boost Motion Sensor Technology
- Ultra-Quiet Operation
- Heat Auto Cleaning Function
- Cold Plate Glass

Additional Practical Features

- BLDC Motor
- 5x Larger Metal Oil Cup

Installation Accessories Included

- 2 pcs Metal Chimney Cover
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob: 300mm ~ 450mm

Optional Accessories

Charcoal Filter

Plug Used



FULL LED lighting Inner Curved Cold Plate Glass

- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes

- For Gas Hob: 400mm ~ 500mm

. 13amp











Noise Level



REMIUM NEW

VISTA Slim L Shape Design Heat Pro intelClean™ Cooker Hood Retail Price: EM: RM3,299 WM: RM3,099

Model No: SZ- CH9670DC

Recirculating System

Key Features

- Al Grease Smart Function
- 2000 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Ultra-Quiet Operation
- Heat Auto Cleaning Function
- Cold Plate Glass

Additional Practical Features

- BLDC Motor
- 5x Larger Metal Oil Cup
- LED lighting
 Sleek L-Shape Design
- Rose Gold Suction Frame

Installation Accessories Included

- · Chimney Cover
- 1st Glass Chimney
- 2nd Metal Chimney Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob: 300mm ~ 450mm
- For Gas Hob: 400mm ~ 500mm

Optional Accessories

Charcoal Filter

Plug Used







Cold Plate Glass (Easy Cleaning)



Al Grease Smart Function



BLDC



Noise Level as low as 45dB



Heat Auto Cleaning

Model No: SZ- RI6200i

Recirculating System ⊕ **• ○ •** ⊙ •

Key Features

- Al Grease Smart Function
- 2000 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Ultra-Quiet Operation
- Heat Auto Cleaning Function
- Cold Plate Glass

Additional Practical Features

- BLDC Motor
- 5x Larger Metal Oil Cup
- FULL LED lighting

Installation Accessories Included

- 2 pcs Metal Chimney Cover
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob: 300mm ~ 450mm - For Gas Hob: 400mm ~ 500mm

Optional Accessories

Charcoal Filter

Plug Used





Key Features

- Matte-Finished, Heat resistance ceramic glass FurtX
- Dual Heating Zone Induction (Left) + Ceramic (Right
- 4000W Power Output
- 200W Boost Function
- P1-P9 Heat Power Level Adjustment
- Sleek Touch & Slider Control with LED Display
- 99 Minutes Timer Function
- 60 Minutes Auto Cut-Off • Electronic Overheating Protection

Additional Practical Features

- · Special Rose Gold Frame
- Cooking Functions
- High Power Output
- Energy Efficient · Child Safety Lock

Installation & Compatibility

- Glass Size 730mm (W) x 430mm (L)
- Built-In Hole Dimension 670mm (W) x 400mm (L)
- Power Supply 220 240V ~ 50Hz / 60Hz
- Standby Electricity 2W
- Installation Type Free Standing or Built-In

Plug Used:



Suit for all cookware materials





Motion Sensor Technology



Cold Plate Glass (Easy Cleaning)



Al Grease Smart Function



BLDC Motor





Noise Level as low as 45dB



Heat Auto Cleaning

Retail Price: EM: RM2,899 WM: RM2,699



Special Rose Gold

Surface

Frame Design

PREMIUM

RC220FT Double Ceramic MultiCooker

Model No: SZ- RC220FT


Retail Price: EM: RM2,899 WM: RM2,699

REMIUM NEW

NOVA Compact HeatPro intelClean Cooker Hood

Recirculating

System



• Latest Hybrid (Chimney + Angled) Design • 2000 m3/h Suction Power + Turbo Boost Motion Sensor Technology

Key Features

 Ultra-Quiet Operation • Heat Auto Cleaning Function

Additional Practical Features

- BLDC Motor
- 5x Larger Metal Oil Cup
- LED lighting
- Retractable Panel Design
- Removable Magnetic Metal Filter

Installation Accessories Included

- 1 pcs Washable Metal Filter
- · Chimney Cover
- 1st Glass Chimney - 2nd Metal Chimney
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

• From bottom of hood to your counter top - For Electric Hob / Gas Hob:

Optional Accessories

600mm ~ 700mm

Charcoal Filter

Plug Used







Key Features

- Matte-Finished, Heat resistance ceramic glass
- Dual Heating Zone Ceramic (Left) + Ceramic (Right)
- 4400W Power Output EGO
- Heating Element Germany • 12 Heat Levels Adjustment
- Sleek Touch Control with LED Display
- 24 Hours Timer Function
- 60 Minutes Auto Cut-Off
- Electronic Overheating Protection

Additional Practical Features

- Cooking Functions
- High Power Output
- Energy Efficient Child Safety Lock

Installation & Compatibility

- Glass Size 690mm (W) x 420mm (L)
- Built-In Hole Dimension 670mm (W) x 400mm (L) Power Supply: 220 – 240V ~ 50Hz / 60Hz
- Standby Electricity: 4W
- Installation Type Free Standing or Built-In

Plug Used:



Suit for all cookware materials























PREMIUM

G\$388 Tri-Ringz Twin Burner Gas Stove

Model No: SZ- GS388

Key Features

- Triple Ringz Design
- 6.4kw/h Heat Intensity
- Safety Valve
- 10 Seconds Auto Cut-Off

Additional Practical Features

- Battery Operated Auto-Ignition
- Removable Burner Cap

Installation Accessories Included

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In













Retail Price: EM: RM1,899 WM: RM1,699















Triple Ring Burners



during cooking

CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.

OPERATION: 1 - Pressed and hold the knob for 3 - 5 seconds before turning it.

2 - After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

OPERATION: When either of the knobs is pressed, both ignifilion pins will light up, indicating that the gas is ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.



Futex Glass tempered glass





PREMIUM NEW

SAPPHIRE Tri-Ringz Twin Burner Gas Stove with Timer

Model No: SZ- GS1328FL

Key Features

- Triple Ringz Design
- 180 Minutes Timer Function
- 5.8kw/h Heat Intensity
- 0-Second Ignition
- Safety Valve
- 10 Seconds Auto Cut-Off
- NANO Coating, Heat Resistance Ceramic Glass Furnix

Additional Practical Features

- Battery Operated Auto-Ignition
- Flexible Base Design
- Removable Burner Cap

Installation Accessories Included

- Gas Type LPG
- Gas Pressure 2900 kPA
- Installation Type Free Standing or Built-In



Retail Price: EM: RM2,199 WM: RM1,999









Triple Ring Burners



FUTE **Futex Glass**

Heat resistance





Timer Up to 180



Nano Coating

CAUTION: Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.





Introducing our latest gas cooker with a flexible base that can be customized to fit a variety of hole sizes. Say goodbye to the hassle of finding a gas stove that fits your existing build-in hole. Our adjustable base provides the perfect solution for customers who are looking to upgrade to a new gas stove but worry about compatibility issues. Experience the convenience and peace of mind knowing that our gas cooker is designed with your needs in mind. Upgrade your kitchen with our versatile gas cooker today!

PREMIUM

QUADRO Flexible Base Sealed Burner Gas Stove

Model No: SZ- GS6852FL

Key Features

- Easy-Clean Sealed Burner with Square Plate Base
- 5.2kw/h Heat Intensity
- Safety Valve
- 10 Seconds Auto Cut-Off
- Gloss Finished, Heat Resistance Ceramic Glass Furth

Additional Practical Features

- Battery Operated Auto-Ignition
- Exclusive SENZ Logo on Burner Cap
- Flexible Base Design
- Removable Burner Cap
- Square Wok Rack Design

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In



Retail Price: EM: RM1,799 WM: RM1,599



















during cooking

Model No: SZ- GS368FL



Heat resistance tempered glass

PREMIUM

CAUTION: Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.

OPERATION: 1 - Pressed and hold the knob for 3 - 5 seconds before turning it.
2 - After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

OPERATION: When either of the knobs is pressed, both ignition pins will light up, indicating that the gas is ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.

G\$368FL Flexible Base Sealed Burner Gas Stove

Key Features • Easy-Clean Sealed Burner with Round Plate Base

- 5.2kw/h Heat Intensity
- Safety Valve
- 10 Seconds Auto Cut-Off
- Gloss Finished, Heat Resistance Ceramic Glass FureX

Additional Practical Features

- Battery Operated Auto-Ignition
- Exclusive SENZ Logo on Burner Cap
- Flexible Base Design
- Removable Burner Cap

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In



Retail Price: EM: RM1,799 WM: RM1,599

FAST IGNITION





6





Exclusive SENZ Logo





during cooking



tempered glass



: Please ensure that the burner cap is placed securely and evenly to prevent any

Friedse ensure that the burner cup is praced securely and eventy to prevent any gas leaks and potential fire hazards.

1 - Pressed and hold the knob for 3 - 5 seconds before turning it.

2 - After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

1 When either of the knobs is pressed, both ignition pins will light up, indicating that the gas it ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.







Retail Price: EM: RM2,199 WM: RM1,999

Model No: SZ- GS1398FL- B



Key Features

- Smart AlFlow System
- No Adjustment of Air Regulator
- Enhanced Safety
- 180 Minutes Timer Function
- 5.6kw/h Heat Intensity
- 0-Second lanition
- Safety Valve
- 10 Seconds Auto Cut-Off
- NANO Coating, Heat Resistance Ceramic Glass Fure

Additional Practical Features

- Battery Operated Auto-Ignition
- Flexible Base Design
- Removable Burner Cap
- Special Windshield Wok Rack

Installation Accessories Included

- Gas Type LPG
- Gas Pressure 2900 kPA • Installation Type - Free Standing or Built-In





























Special Wok Design To reduce heat during cooking



Futex Glass Heat resistance tempered glass




Smart AlFlow



Up to 180





Model No: SZ- SOV3412

ALL in



Model No: SZ- RI3200i **Key Features**

- Matte-Finished, Heat resistance ceramic glass • Dual Heating Zone - Induction (Left) + Ceramic (Right
- 2800W Power Output Total power sharing 2800W
- Wattage-Based Heat Adjustment
- · Sleek Touch Control with LED Display
- 24 Hours Timer Function
- 12 Hours Preset Timer Function
- 60 Minutes Auto Cut-Off • Electronic Overheating Protection

Additional Practical Features

- Cooking Functions
- High Power Output
- Energy Efficient
- · Child Safety Lock

Installation Accessories Included

- Glass Size 690mm (W) x 420mm (L)
- Built-In Hole Dimension 670mm (W) x 400mm (L) Power Supply – 220 – 240V ~ 50Hz / 60Hz
- Standby Electricity 2W
- Installation Type Free Standing or Built-In

Plug Used



Suit for all cookware materials

Retail Price: EM: RM2,199 WM: RM1,999



PREMIUM

2:00 ^

OV759-9F Push Knob Digital Multioven

Model No: SZ- OV759-9F Highlights:

- 9 Cooking Functions
- 75 Litres Capacity
- With Rotisseries Baking Mode
- Mechanical Push Knob Design + Electronic
- 24 Hours Digital Time Display

All in 1 functions

- Retractable Track
- Triple Glazed Removable Tempered Glass
- Removable Door
- · Removable Inner Rack
- Cavity Cooling System
- Child Safety Lock

Installation & Compatibility

- Voltage/Frequency 220-240V/50~60Hz
- Power Consumption 2000W Interior Material – Iron Coating Enamel
- Installation Type Built-In

Sliding Ware x 1

- Rotisserie Spit Rod x 1





Remarks: There will be a variance of +20°C from the temperature set during operation.



PREMIUM

SEN7

Push Knob +

ovable Inner Rack

MW2510 Fully Digital Built-in Microwave Oven

Model No: SZ- MW2510 Highlights:

Retractable Track

Capacity: 25 Litres

- Power Consumption: 240V ~ 50Hz, 1400W
- Operating Frequency: 2,450MHz
- · 24 hour digital time display
- Auto Weight Defrost
- Auto Menu
- Disinfection Mode

Accessories Included:

- Grill Rack x1
- · Glass tray x1

Roller Ring x1



set during operation.

*Purchase with purchase (PWP) is applicable with purchase of Multihood + Multicooker package only



Retail Price: EM: RM2.849 WM: RM2.649

Accessories Included

- Drip Tray x 1
- Inner Rack x2





*Purchase with purchase (PWP) is applicable with purchase of Multihood + Multicooker package only



Retail Price: EM: RM2,749 WM: RM2,549

Plug Used:







Remarks: There will be a variance of +20°C from the temperature



Highlights:

- All in 1 Functions
- Bake, Grill, Steam and Air Fry
- 34 Litres Capacity
- 12 Preset Auto Menu
- 24 Hours Digital Time Display

All in 1 functions

- Fermentation
- Defrost
- Triple Glazed Removable Tempered Glass Removable Door
- Removable Inner Back
- 1000ml Capacity External Water Container
- · Child Safety Lock

Installation & Compatibility

- Voltage/Frequency 230V/50Hz

• Power Consumption – 2000W

- Interior Material Stainless Steel SUS304
- Installation Type Built-In

External Water

Accessories Included

- Baking Tray x1
- Drip Tray x1 Inner Rack x2

Plug Used:







Remarks: There will be a variance of +20°C from the temperature set during operation.

Retail Price: EM: RM2,899 WM: RM2,699

*Purchase with purchase (PWP) is applicable with purchase of Multihood + Multicooker package only



PREMIUM NEW

Auto Menu

SENZ

SENZ NanoWash7 Digital Program Dishwasher

Model No: SZ-DW001

34L

Capacity

58) = 8 5 8 6 5

Key Features

- Free Standing Design - use it right out of the box, even in spaces without fixed plumbing. Freedom to place it
- anywhere.
- Capacity 3 to 4 Full Sets of Dishes - perfect for small households or apartments.
- Can be fit for:
- 1pcs x large plates 27cm
- 2pcs x medium plates 22cm
- 2pcs x bowls 15.3cm
- 3pcs x small bowls 12.3cm
- -2 x cups - 3 x sauce bowl 10cm
- 1 x small knife - 3 x pair of Chopsticks
- -2 x forks -2 x spoons
- 1 x ladle spoons • No Plumbing? No Problem!
- Flexible Water Supply Modes - simply add water manually or connect directly
- to a water pipe perfect for any kitchen setup. · All-in-One Multi-Function Use
- a dishwasher, vegetable washer, dish cabinet
- and sterilizer all in one compact unit. Drying Function
- Dual Function Wash Dishes & Fresh Produce
- gently clean fruits and vegetables with a dedicated cycle.

• 7 Auto Cleaning Programs

- just choose the perfect wash with a single touch - Normal (69 mins)
- ECO (68 mins)
- Quick (29 mins)
- Strong (89 mins) - Glass (50 mins)
- Fruit (19 mins) - Self-clean (79 mins)
- 72 Hours Ventilated Storage - after washing, your dishes stay fresh with automatic

ventilation that prevents odor and bacteria

- **Additional Practical Features**
- · Compact Design, Maximum Efficiency • Hygienic, Hassle-Free Operation

· Child Safety Lock

Installation & Compatibility

Accessories Included

Water Container Cup x1

 Product Dimension - 428mm (W) x 425mm (L) x 458mm (H)

. Installation Type - Free Standing / Portable Only

Plug Used:

• Inlet Hose for Water Pipe x1 _ 13amp





Drain Hose x1





1



PREMIUM NEW

Black Matt Surface Designer Pendant Hood with Remote Control BRILLO

Model No: SZ-ICH188



Key Features

- Latest Pendant Hood Design
- 1200 m3/h Suction Power • Convenient Remote Control

Additional Practical Features

- Sleek & Modern Design
- Recirculation Option Only LED lighting

Installation Accessories Included

- 1 pcs Washable Buffer Filter
- 2 pcs Charcoal Filter

Recommended Installation Height

• From bottom of hood to your counter top - For Electric Hob / Gas Hob: 750mm (or adjust based on your ceiling height)

Optional Accessories

Charcoal Filter

Retail Price: EM: RM2,299 WM: RM2,099

Plug Used





Black Glass Designer Pendant Hood 750mm with Remote Control SERENO

Model No: SZ-ICH608

Recirculating System

Key Features

- Latest Pendant Hood Design
- 1200 m3/h Suction Power
- Convenient Remote Control

Additional Practical Features

- Sleek & Modern Design
- Recirculation Option Only
- LED lighting

Installation Accessories Included

- 1 pcs Washable Buffer Filter
- 2 pcs Charcoal Filter

Recommended Installation Height

 From bottom of hood to your counter top - For Electric Hob / Gas Hob: 750mm (or adjust based on your ceiling height)

Optional Accessories

Retail Price: EM: RM2,799 WM: RM2,599

Charcoal Filter

Plug Used









PREMIUM NEW

Black Glass Designer Pendant Hood with Remote Control VENTE

Retail Price: EM: RM2,999 WM: RM2,799

Model No: SZ-ICH328



Key Features

- Latest Pendant Hood Design
- 1200 m3/h Suction Power Convenient Remote Control
- **Additional Practical Features**
- Sleek & Modern Design Recirculation Option Only
- LED lighting

Installation Accessories Included

- 1 pcs Washable Buffer Filter
- 2 pcs Charcoal Filter

Recommended Installation Height

• From bottom of hood to your counter top - For Electric Hob / Gas Hob: 750mm (or adjust based on your ceiling height)

Optional Accessories

Charcoal Filter

Plug Used





DIMENSION

SENZ ADEL(CH9560DC)

SENZ

VISTA(CH9670DC)







STELLA DC (CH9166DC)

SENZ

NOVA(CH2898DC)





BRILLO(ICH188)

ბ150

©351.5


*Recommended height from table top 750mm


SENZ

SERENO(CH608)

*Recommended height from table top 750mm


SENZ VENTE(ICH328)






DIMENSION

SENZ SAPPHIRE(GS1328FL) / EMERALD(GS1398FL-B) SENZ RI6200i




RC220FT/ RI3200i



SENZ

G\$388

SENZ QUADRO




For New House Dimension 650mm

DIMENSION


SENZ GS368FL

For Existing Hole Dimension 780mm




For New House


Dimension



FlexiSteamPro(SOV3412)


SENZ OV759-9F






SENZ MW2510

SENZ NanoWash(DW001)







CLASSIC NEW

ENZO IntelSync Cooker Hood with Nano Coating

Model No: SZ- CH8360AC





Key Features

- Latest Angled Design
- 1800 m3/h Suction Power Motion Sensor Technology
- Heat Auto Cleaning Function
- Equip with intelSync Technology
- Nano Coating Body

Additional Practical Features

- 5x Larger Metal Oil Cup
- LED lighting Removable Metal Filter

Installation Accessories Included

- 2 pcs Washable Metal Filter
- 2 pcs Metal Chimney Cover
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7")) • Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

- From bottom of hood to your counter top
- For Electric Hob: 300mm ~ 450mm
- For Gas Hob: 400mm ~ 500mm

Optional Accessories

Charcoal Filter

Plug Used



. 13amp

Recommended Installation Height

Retail Price: EM: RM1,799 WM: RM1,599



HERMOSA Ultra Slim Heat Pro intelClean™ Cooker Hood CLASSIC NEW

Model No: SZ-CH8380AC



Key Features

- Sleek & Ultra Slim Design
- 1950 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Heat Auto Cleaning Function

Additional Practical Features

- 5x Larger Metal Oil Cup
- LED lighting
- Removable Glass Panel

Installation Accessories Included

- Chimney Cover
- 1st Glass Chimney - 2nd Metal Chimney
- Stainless Steel Wall Cap
- 3 meters Aluminum Hose
- (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob / Gas Hob: 350mm ~ 400mm

Optional Accessories

Charcoal Filter

Retail Price: EM: RM2,599 WM: RM2,399

Plug Used







Cold Plate Glass

(Easy Cleaning)

Motion Sensor



Glass Chimney

Cover

Model No: SZ- CH336iAC-G



Key Features • Modern Chimney Design

Heat Auto

Cleaning

- 1600 m3/h Suction Power + Turbo Boost
- Motion Sensor Technology
- Heat Auto Cleaning Function
- Slim Body Design

Additional Practical Features

- Auto-Opening Glass Panel
- 5x Larger Metal Oil Cup
- LED lighting
- Removable Stainless Steel Buffer Filter

Installation Accessories Included


- 3 sets Washable Stainless Steel Buffer Filter
- 2 pcs Metal Chimney Cover Stainless Steel Wall Cap
- 3 meters Aluminum Hose (hose dimension: 180mm (7"))
- Ducting/Coring Size: 150mm = 6 inches (includes connector to adapt from 180mm to 150mm for easy installation)





Body Design





Heat Auto

• From bottom of hood to your counter top - For Electric Hob / Gas Hob: 600mm ~ 700mm

Recommended Installation Height

Optional Accessories

Charcoal Filter

Retail Price: EM: RM2,749 WM: RM2,549

Plug Used



. 13amp





















DESIGNED FOR THE MODERN KITCHEN

1 6mm Slim Hidden Concept Ultra slim design blends seamlessly into your kitchen. Leaving you with an aesthetically pleasing art piece under its spotlight.

2 Stylish Touch Control

Simplistic panel design with responsive touch control adds a modern appeal to your ease of use.

3 Strong Suction Power

High-efficiency performance effectively removes any oil and odour to help minimise your kitchen cleaning chores.

4 Retractable Flip Glass Panel

Hassle-free retractable mechanism allows for easy cleaning of trapped grease while enhancing overall visual appeal.

5 3-Speeds Power Control

Different power settings to best suit various styles of cooking and ensure optimum efficiency.











THINGS NEED TO TAKE NOTE

before installing our CH1288RC Invisible Hood




STEP 1: If you can open a hole in your kitchen we will suggest you to open a hole to extract the grease out.

P.S. Hose and Wall Cap are sold separately.




STEP 2: If you are not allowed to open a hole in your kitchen then you need to use our recirculation system to operate the Cooker Hood. Recirculation system consist of Aluminum Filter and Charcoal Filter.



STEP 3: If you are using recirculation system, please ensure that you have enough ventilation in your cabinet to allow clean air to flow. For example, some open ventilation holes on your cabinet door. This can also prevent your cabinet door from vibrating while operating the hood.



STEP 4: You can also open a hole at the top of your kitchen cabinet



STEP 5: Kindly take note that the installation height between Cooker Hood and Stove, the recommended installation height is **around 600mm.**



STEP 6: To avoid the clip from breaking easily, please do not tighten it with **electric drill;** use only **screw driver** to tighten it.









Mystery Black



Key Features

- Latest Invisible Design
- 1200 m3/h Suction Power
- 6mm Slim & Stylish Glass Panel

Additional Practical Features

- · Modern & Stylish Design
- LED lighting

Installation Accessories Included

- 1 pcs Washable 6 Layers Aluminum Filter
- · 2 pcs Charcoal Filter (for recirculating system/ductless)

Recommended Installation Height

- From bottom of hood to your counter top
- For Electric Hob / Gas Hob: 600mm (or adjust based on your kitchen cabinet height)

Optional Accessories

· 3 meters aluminum hose (hose dimension: 150mm (6")) Stainless Steel Wall Cap

Plug Used



Remarks: Kitchen cabinet board thickness cannot exceed 18mm in order to install this invisible hood Remarks: For recycle mode, please ensure there is enough capacity in the cabinet for air to flow as air to flow as air that release back by the hood might cause the cabinet door to vibrate during operation. You may consult our authorized dealers or customer service for further clarification.

CLASSIC

VRC868i 2 in 1 Smart Cooker

Retail Price: EM: RM1,849 WM: RM1,649

Model No: SZ- VRC868i

Key Features

- Matte-Finished, Heat resistance ceramic glass FUTEX
- Vertical Design
- Dual Heating Zone
- Induction (Upper) + Ceramic (Lower)
- 2800W Power Output
- Wattage-Based Heat Adjustment
- Sleek Touch Control with LED Display
- 99 Minutes Timer Function
- 120 Minutes Auto Cut-Off • Electronic Overheating Protection

Additional Practical Features

- Cooking Functions
- High Power Output
- Energy Efficient
- Child Safety Lock

Installation & Compatibility

- Glass Size 300mm (W) x 510mm (L)
- Built-In Hole Dimension 280mm (W) x 480mm (L)
- Power Supply 220 240V ~ 50Hz / 60Hz
- Standby Electricity 2W
- Installation Type Free Standing or Built-In

Plug Used









Suit for all cookware materials





GS202 Table Top Spiral Flame Gas Stove With Safety Valve

Model No: SZ-GS202

Safety Valve

- **Key Features**
- Portable Safety Valve Gas Stove
- Spiral Flame Burner Design
- 4.5kw/h Heat Intensity
- 10 Seconds Auto Cut-Off
- Gloss-Finished Glass

Additional Practical Features

- Battery Operated Auto-Ignition
- Removable Burner Cap

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing / Portable Only




Retail Price: EM: RM549 WM: RM499

















unlit within 10 seconds

CAUTION: Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.

OPERATION: 1 - Pressed and hold the knob for 3 - 5 seconds before turning it.
2 - After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

OPERATION: When either of the knobs is pressed, both ignition pins will light up, indicating that the gas is ready to ignite, thowever, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.

Heat Resistance Tempered Glass

CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards

CLASSIC NEW

G\$303 Table Top Linear Flame Gas Stove With Safety Valve Retail Price: EM: RM549 WM: RM499

Model No: SZ-GS303

Key Features

- Safety Valve • Portable Safety Valve Gas Stove
- Linear Flame Burner Design
- · 4.5kw/h Heat Intensity
- 10 Seconds Auto Cut-Off
- Gloss-Finished Glass

Additional Practical Features

- Battery Operated Auto-Ignition
- Removable Burner Cap

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing / Portable Only



FAST



РШТ








Linear Flame Burner Design



Safety Valve Prevent an explosion when unlit within 10 seconds



Futex Glass Heat Resistance **Tempered Glass**



CLASSIC NEW

Model No: SZ-GS980FL

Key Features

• Equip with intelSync Technology -Smart AI ON / OFF Function

- 10 Seconds Auto Cut-Off
- NANO Coating Glass

- Battery Operated Auto-Ignition
- Flexible Base Design
- Removable Burner Cap
- · Round Wok Rack Design

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA
- Installation Type Free Standing or Built-In

WARNING!!



















CAUTION: Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.

OPERATION: 1 - Pressed and hold the knob for 3 - 5 seconds before turning it.
2 - After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

OPERATION: When either of the knobs is pressed, both ignition pins will light up, indicating that the gas it eady to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.



To reduce heat during cooking




Nano Coating



Heat resistance

tempered glass



CLASSIC NEW

AMBER IntelSync Twin Burner Gas Stove with Nano Coating Retail Price: EM: RM1,099 WM: RM899

Model No: SZ- GS6890FL

Key Features

• Equip with intelSync Technology -Smart AI ON / OFF Function



Safety Valve

• 10 Seconds Auto Cut-Off

NANO Coating Glass

Additional Practical Features

- Battery Operated Auto-Ignition
- Flexible Base Design Removable Burner Cap
- Square Wok Rack Design

Installation & Compatibility

- Gas Type LPG
- Gas Pressure 2800 kPA • Installation Type - Free Standing or Built-In
- CAUTION: Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.

 OPERATION: 1- Pressed and hold the knob for 3 5 seconds before turning it.
 2 After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

 OPERATION: When either of the knobs is pressed, both ignition pins will light up, indicating that the gas is ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.

















CAUTION





To reduce heat during cooking





tempered glass



CLASSIC NEW

SENZ

OV7529-9F Digital MultiOven

Model No: SZ-OV7529



- 72 Litres Capacity
- Knob Design + Electronic • 24 Hours Digital Time Display

Additional Practical Features

- Triple Glazed Removable Tempered Glass
- Removable Door
- Removable Inner Rack

Installation & Compatibility

- Voltage/Frequency 220-240V/50~60Hz
- Power Consumption 2800W
- Interior Material Iron Coating Enamel
- Installation Type Built-In

Accessories Included

- · Baking Tray x 1
- Wire Rack x 1
- Inner Rack x2

Plug Used:





Direct Built-in wiring wiring



Remarks: There will be a variance of +20°C from the temperature set during operation.

*Purchase with purchase (PWP) is applicable with purchase of Multihood + Multicooker package only







MW259 Fully Digital Built-in Microwave Oven

Model No:SZ-MW259

Highlights:

- 25 Litres Capacity
- 8 Auto Menu Potato, Pasta, Pizza, Popcorn, Vege, Bever, Meat, Fish
- 8 Auto Menu
- Microwave Function - Auto Weight Defrost
- Digital Clock
- Auto Cooking
- Grill(G)+Microwave
- Single Button Heating - Express Cooking
- Child Safety Lock
- Timer Function

Installation & Compatibility

- Voltage/Frequency 240V/50Hz
- Power Consumption 1320W
- Interior Material Stainless Steel SUS304
- Installation Type Built-In

Accessories Included:

- Grill Rack x1
- · Glass tray x1
- Roller Ring x1

Plug Used:





Retail Price: EM: RM1,599 WM: RM1,399

Remarks: There will be a variance of +20°C from the temperature set during operation.

*Purchase with purchase (PWP) is applicable with purchase of Multihood + Multicooker package only





FULLY DIGITAL WATER HEATER

HORIZON



VERTIK













DIGITAL VALVE

HORIZON VERTIK

SENZ"

SENZ 38



TITANIUM

± ± 38° · · ×

TITANIUM

Experience the next level of safety, the 1st water heater in Malaysia that come with digital valve. Ensure a steady and safe water temperature, making of ideal for children and elder users.

HIGHLIGHT



PUMP

Digital Valve - No Heat Residue Say goodbye to sudden bursts of hot water EcoPro ensures a steady and safe water temperature, making it ideal for children



To prolong the lifespan of the heater and protect internal components, EcoPro stops the pump and heater when overheating is



Thermostat Protection For added durability, EcoPro automatically shuts off the heating tank when it reaches 85°C, protecting the heating element and enhancing



More Powerful DC Pump For inverter DC pump models - stronger water flow, stable pressure



Anti-Scalding Technology Worried about accidental burns? EcoPro automatically cuts off the heating element when the water temperature reaches 45°C,



- Auto Earth Wire Detection with Alarm Safety first! EcoPro comes with a built-in alarm system that alerts you in case of faulty wiring, providing an extra layer of protection



Precise Temperature Display Monitor your water temperature with absolute accuracy, ensuring the perfect shower every time.



One-to-One Exchange Warranty*
We stand by the quality of our product! Enjoy hassle-free replacement for total peace of mind



PRODUCT LIABILITY COVERAGE

Our SENZ EcoPro products are backed by product liability coverage of up to RM1,000,000.









Precise Temperature





Anti-Scalding

Technology



Overheat

Protection





Protection

Auto Earth Wire Detection with Alarm




Fully Digital


• Ensure water heater is connected to earth wire!! Failure to do so might result in electric shock!!

• For Digital Valve (WH1018i / WH2028i) model, water will not flow if there is no electricity supply, as the valve requires power to operate.

DIMENSION

SENZ HERMOSA(CH8380AC)






Hose Ceiling Cabinet Front View install without cabinet


*Gap for dismantle of glass panel

*Gap for dismantle of glass panel

ENZO(CH8360AC)


SENZ BONITA (CH336iAC)






CH1288RC

SENZ VRC868i






DIMENSION


SENZ RUBY (GS980FL)

For Existing Hole Dimension




For New House

Dimension




SENZ AMBER(GS6890FL)

For Existing Hole




For New House



SENZ GS202


SENZ GS303

710mm 410mm 178mm ‡




DIMENSION

SENZ OV7529




SENZ MW259




SENZ ECOPro HORIZON

SENZ ECOPro VERTIK



GAS HOB INSTALLATION SAFETY GUIDE

DO NOT ADJUST THE POSITION OF GAS CONNECTOR



WARNING!!

ANY ATTEMPT TO ADJUST IT MAY CAUSE THE GAS CONNECTOR TO BREAK / LOOSEN AND MAY RESULT IN GAS LEAKING!!


WE ARE NOT HELD RESPONSIBLE FOR ANY ACCIDENT IF THIS HAS BEEN ADJUSTED. PLEASE CONTACT US 03-8052 1011 SHOULD YOU NEED TO ADJUST THE POSITION.

USE ONLY LOW PRESSURE REGULATOR (LPG)






GAS HOB INSTALLED WITHIN A CABINET




When installing a gas stove into a built-in cabinet, MAKE SURE there is sufficient space for proper ventilation within the cabinet to prevent any potential hazards. It is highly recommended to install a ventilation vent on the cabinet door for added safety.

Ducting Hood



If you can make a coring hole in your kitchen wall we will suggest you choose to open hole to install aluminium hose for extracting grease from your house

Ductless Hood



If you not able to make a coring hole in your kitchen wall, you'll need to install the hood as recirculation system. It consists of **charcoal filter** that function to **filter the odour** and release clean air back in your house.

WHEN INSTALLING A RECIRCULATING HOOD

note to prevent cabinet door vibrations while operating the hood

To ensure that you have enough ventilation in your cabinet to allow clean air to flow



Suggestion 1: Open a ventilation hole on your cabinet door.

Suggestion 2: Open a hole at inside and the top of your kitchen

SPECIAL ACCESSORIES:



HONEYCOMB CHARCOAL FILTER Compatible for all SENZ hood model including ducting hood


(expect model: SZ-CH1288RC, SZ-CH336iAC-G, SZ-CH2898DC)

**Install the honeycomb charcoal filter above the air outlet of your cooker hood


RECOMMENDED HOOD INSTALLATION HEIGHT

from bottom of your cooker hood to your table top

1 ANGLED/HERMOSA/ZAFFIRO COOKER HOOD DESIGN




- Angled Cooker Hood with Electric Stove at least 300 450mm
- Angled Cooker Hood with Gas Stove at least 400 500mm




- Hermosa Cooker Hood with Electric Stove at least 350 400mm
- Hermosa Cooker Hood with Gas Stove at least 350 400mm

2 CHIMNEY/L SHAPE COOKER HOOD DESIGN




- Chimney Cooker Hood with Electric Stove at least 600mm
- Chimney Cooker Hood with Gas Stove at least 600mm




- L SHAPE Cooker Hood with Electric Stove at least 300 450mm
- L SHAPE Cooker Hood with Gas Stove at least 400 500mm

3 IINVISIBLE / NOVA COOKER HOOD



Invisible Cooker Hood with Electric Stove at least 600mm



Invisible Cooker Hood with Gas Stove at least 600mm



consulting about doubts on the function. It is a

6-star customer service

REASON WHY CUSTOMERS CHOOSE US

- 1.16 Years of Expertise
- 2. The Only Kitchen Appliance Brand with Over 500,000 Social Media Followers
- 3. Over 1,000 Five-Star Google Reviews
- 4. Award-Winning Brand
- 5. Exclusive QR Code & YouTube Tutorials
- 6. Fast & Professional After-Sales Service
- 7. A Wide Range of Products for **Every Budget**
- 8. Designed for Malaysian

Award & Recognitions:



































SENZ Marketing (M) Sdn Bhd 880141-K

SENZ HQ Showroom & Warehouse

No. 23 Jalan TPP 3, Taman Perindustrian Putra, Puchong, Selangor Darul Ihsan, Malaysia

General Enquires - WhatsApp

EN & BM Speaking Officer Assistance: 6019-9689226

Chinese Speaking Officer Assistance: 6019-6729226

SENZ Authorized Dealer:

















SIRIM