



***HIGHEST NUMBER OF WHOLESALE** INTELCLEAN COOKER HOOD SALES VALUE IN A YEAR.





JANUARJ SOZS

Upper Cts

intelCle∆n⁻

(2009)



ALL-IN-1 FlexiSteam Pro Oven

THENC HOICE for the New Generation

SENZ

AI

At SENZ, we offer luxury kitchen appliances at affordable prices, tailored for Malaysian kitchens. Our products, categorized into Premium X, Premium, and Classic collections, combine quality with options for every budget.

As Malaysia's top-rated kitchen appliance brand with 5-star Google reviews, we pride ourselves on exceptional customer service and in-house technical support, ensuring your satisfaction and peace of mind.

At SENZ, we deliver more than just products-we create exceptional experiences.

Warm regards,

Eatherine Leong

Datin Katherine Leong Managing Director, SENZ Marketing (M) Sdn Bhd

About SENZ – Cooking in Style



NOVEMBER, 2009

We came into existence in November, 2009. We started off by selling electric stoves to end users via exhibitions, roadshows, and our very own showrooms. Now, we are known as the pioneer of functional yet stylish kitchen appliances such as electric stoves, electric cookers, cooker hoods, built-in electric ovens, and built-in gas stoves.

Address:

No.23, Jln TPP 3, Taman Perindustrian Putra, 47130 Puchong, Selangor

JANUARY, 2021

We recognized in The Malaysia Book of Records for the highest wholesale of Intelclean Cooker Hoods, we proudly collaborate with over 200 dealers nationwide, solidifying our position as a trusted leader in the kitchen appliance industry.

Our Vision

To become the No.1 Kitchen Appliances Brand in Malaysia, with at least 1 in every 10 households choosing our products

Our Mission

Through constant research and innovation, design and develop kitchen appliances that are truly for Malaysian cooking experience

Our Brand Promise

- Luxury yet Affordable
- Provide WOW user experience
- Expertise & Professional

The Malaysia Book of Records

for the Highest wholesale of Intelclean Cooker Hoods



CSR Program – Sponsor of the Appliances Initiative



At SENZ, we believe in giving back to society and nurturing future generations. With great pride, we announce our contribution of premium kitchen appliances to schools in need through our CSR initiative - empowering young chefs to shape a brighter tomorrow.









SJK (C) TAMAN CONNAUGH





SMK KAJANG UTAMA



SMK ALAM MEGAH

IAMANAN SPORT MAIN STRU

SMK PUCHONG PERDANA








PREMIUM Collection





Installation fees is NOT included for all the price stated above & price is subject to change without prior notice



ZAFFIRO DC Diamond Shape intelClean™ Cooker Hood Retail Price: EM: RM4,099 WM: RM3,899

Highlights:

- BLDC motor consumes less electricity with up to 1900pa
- Noise level as low as 45 db
- Al Grease Smart function able to detect the level of grease
- and adjust its suction power accordingly
- Suction power: 2000 m3/h (with turbo boost)
- Heat Auto Cleaning Function
- Motion Sensor Technology
- Metal oil cup which is 5 times bigger than traditional size
- LED light
- Recommended installation height from electric hob: 300mm ~ 450mm
- Recommended installation height from gas hob: 400mm ~ 500mm
- 2 pcs Metal Chimney Cover
- Stainless steel wall cap
- 3 meters aluminum hose (hose dimension: 180mm (7"))
- Coring dimension at wall for installing wall cap: 150mm (6")
- Included: a connector will be provided to connect 180mm to 150mm for easy installation

Optional Accessories:



()65

ß


oil Filte

6686

LCD Display











-

Model No:SZ-GS3898

÷.

LED

Model No:SZ-CH9050AC(Auto Cleaning)

PREMIUM X NEW





Ĉ

asy Cleaning Oil Filter

8888

LCD Display

 \odot

Highlights:

4

(55)

PREMIUM NEW

- · Equip with latest intelSync Technology (This function ONLY available when you pair with Aurora DC / Zaffiro DC Cooker Hood)
- Functions as below.
- · Smart AI ON / OFF function: Hood will switch ON / OFF automatically when you turn on your Karino Gas Stove Smart AI Speed Adjustment:
- Hood will switch to its highest speed when you switch to biggest flame . Safety valve - Hood will switch to its lowest speed when you switch on to lower flame . Gas Type: LPG
- . Has up to 5.4kW heat intensity







CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards Installation fees is NOT included for all the price stated above & price is subject to change without prior notice

AURORA DC Heat Pro intelClean Cooker Hood

Highlights:

- BLDC motor consumes less electricity with up to 1900pa
- Noise level as low as 45 db • Al Grease Smart function - able to detect the level of grease
- and adjust its suction power accordingly
- Suction Power: 1950 m3/h (with turbo boost)
- · Heat auto cleaning function
- Motion Sensor Technology
- . Metal oil cup which is 5 times bigger than traditional size
- LED light
- Recommended installation height from gas hob: 400mm ~ 500mm
- Recommended installation height from electric hob: 300mm ~ 450mm
- 2 pcs Metal Chimney Cover
- · Stainless steel wall cap
- 3 meters aluminum hose (hose dimension: 180mm (7"))
- Coring dimension at wall for installing wall cap: 150mm (6")
- · Included: a connector will be provided to connect
- 180mm to 150mm for easy installation

Optional Accessories:

Plug Used: **1**3amp



KARINO Twin Burner Gas Stove with intelSync Technology

Retail Price: EM: RM2,199 WM: RM1,999

- · Gas Pressure: 2800 kPA
- Glass Size: 760mm x 440mm
- Free Standing or Built-in

Built-in Hole Dimension : 650mm(W) x 350mm(L)











Installation fees is NOT included for all the price stated above & price is subject to change without prior notice

Retail Price: EM: RM3,749 WM: RM3,549

Highlights:

- Twin motor with standalone operation
- Dual auto-clean function (Heat & Steam)
- Suction power up to 2000 m3/h
- Motion Sensor Technology with Timer Functions
- 4 speeds power
- LED light
- Recommended installation height from gas hob: 400mm ~ 500mm
- Recommended installation height from electric hob: 300mm ~ 450mm
- 2 pcs Metal Chimney Cover
- Stainless steel wall cap
- 3 meters aluminium hose (Hose dimension: 180mm (7"))
- . Coring dimension at wall for installing wall cap: 150mm (6")
- Included: a connector will be provided to connect 180mm to 150mm for easy installation

Plug Used:





Easy to Clean Motor can be Clean Throughly





INFINITY ZONE

Induction Cooker



Model No:SZ-DI798-M **Pattern-Finished Infinity Cooking Zone** Surface Heat Technology Suit for all cookware materials Aluminium Stainless Normal Steel Steel Non-stick **INFINITYZONE** induction Cooker PREMIUM NEW Model No:SZ-DI798-G Infinity Cooking Zone Heat Technology Suit for all cookware materials Stainless Normal Aluminium Steel Steel Non-stick

Retail Price: EM: RM3,799 WM: RM3,599

Highlights:

INFINITYZONE induction Cooker

PREMIUM NEW

- Glass Panel
- : Matte-finished, Heat Resistance Ceramic Glass FUTEX Heating Element : Latest infinity cooking zone heat technology
- Button Design
- Glass Size
- Function
- : 510mm x 290mm : Infinity Zone cooking area designed to accommodate
- multiple pots simultaneously : 220 - 240V - 50Hz

Touch control system, LED display

- Power Supply
- Standby Electricity : 2W Cooking Zone
 - : Infinity Zone (freedom to cook) : 4400W
- Cooking Range
- Timer
- 1440 minutes (24 hours) Auto-Cut Off 120 minutes
- · Electronic overheating protection
- · Free Standing or Built-in
- Built-in Hole Dimension : 495mm (W) x 275mm (L)

Product Features:

- . Hourly electric consumption as low as RM 0.20 per hour
- Matte-finished surface
- Heat Resistance
- · Easy-to-clean
- · Child Safety Lock

Plug Used:

13amp

Retail Price: EM: RM3,799 WM: RM3,599

Highlights:

Glass Size

Function

- Glass Panel
- Heating Element Button Design
- : Heat Resistance Ceramic Glass FUTE
- : Latest infinity cooking zone heat technology : Touch control system, LED display
- : 510mm x 290mm
- : Infinity Zone cooking area designed to accommodate
- multiple pots simultaneously
- Power Supply : 220 - 240V - 50Hz

: 120 minutes


- Standby Electricity : 2W : Infinity Zone (freedom to cook)
- Cooking Zone Cooking Range
 - 4400W 1440 minutes (24 hours)
- Timer
- Auto-Cut Off
- · Electronic overheating protection
- Free Standing or Built-in
- Built-in Hole Dimension : 495mm (W) x 275mm (L)

Product Features:

- . Hourly electric consumption as low as RM 0.20 per hour
- · Gloss finished surface
- Heat Resistance
- · Easy-to-clean
- Child Safety Lock

Plug Used:





- Heat Resistance
- · Easy-to-clean
- · Child Safety Lock

Plug Used

Direct Built-in Wiring

Suit for all cookware materials

Special Rose Gold

Frame Design

Stee

Up to 13 Level of Heat Adjustment

Claypot Ceramic Glass Copper Cast Iron Stainless

Tri-Zones Heat

Technology

Normal Aluminium

Non-stick

Steel

Matte-Finished

Surface

Suit for all cookware materials

Steel

Steel Non-stick

Invisible Button

of Heat Adjustment

Claypot Ceramic Glass Copper Cast Iron Stainless Normal Aluminium

Retail Price: EM: RM3,849 WM: RM3,649

				-	
_	1-	6	11-	hts	
	10	п	10	nus	

- Glass Panel
- Heating Element
- Button Design
- Glass Size
- Function
- Power Supply
- Standby Electricity : 2W
- Cooking Zone
- Cooking Range
- · 4 : Total Power Sharing 3200W, Left & Right highest : 0W - 2200 W Middle Zone : 0W - 800 W, Inner Zone : 0W - 1000W, Outer Zone : 0W - 2200W : 1440 minutes (24 hours)

: Induction + Hi-Light Cooker Cook, stir-fry, steam,

Heat Resistance Ceramic Glass

stew, barbeque, grille, simmer, roast

- Timer
- Auto-Cut Off : 60 minutes · Electronic overheating protection
- Free Standing or Built-in

• Built-in Hole Dimension : 845mm(W) x 435mm(L)

: Matte-finished.

: Germany EGO

860mm x 450mm

: 220 - 240V - 50 / 60Hz

: Touch button

Product Features:

- · Power sharing to save more energy
- Highest cooking up to Power 12, reach up to 574°C in 10 minutes.
- · Hourly electricity consumption as low as RM 0.20 per hour*
- Matte-finished surface
- Heat Resistance
- · Easy-to-clean
- Child Safety Lock

Plug Used

- Direct Built-in Wiring

Highlights:

- Glass Panel : Heat Resistance Ceramic Glass FureX
- Heating Element : Germany EGO
- Button Design : Touch button (Special Invisible LED) 765mm x 435mm
- Glass Size
- Function
 - : Cook, stir-fry, steam, stew, barbeque, grille, simmer, roast : 220 - 240V - 50 / 60Hz
- Power Supply
- Standby Electricity : 4W
- Cooking Zone : 4Casing : Conceal and physical separating casing
- : Left and Right Zone: 0W 2200W, Cooking Range
 - Inner Zone: 0W 1000W,
 - Outer Zone: 0W 2200W
- Timer 1440 minutes (24 hours)
- Heat Adjustment : Pre-set heat level: Low, Medium, High (0-12 level)
- Auto-Cut Off
- : 60 minutes Electronic overheating protection
- Free Standing or Built-in
 Built-in Hole Dimension : 730mm (W) x 400mm (L)


Product Features:

- Highest cooking of up to Power 12, reach up to 574°C within 10 minutes
- · Hourly electric consumption as low as RM 0.20 per hour*
- · Gloss finished surface
- Heat resistance
- · Easy-to-clean
- Child Safety Lock

Plug Used

Direct Built-in Wiring







Wire Flat Shelf x 4

Accessories Included:

Adjustable Foot x4

Plug Used: ___ 13amp

LED Light

Retail Price: EM: RM2,899 WM: RM2,699



Low Emissivity Glass (Low-E)





Retro Style Curve Handle



for Easy Cleaning







PREMIUM Collection







Installation fees is NOT included for all the price stated above & price is subject to change without prior notice

Installation fees is NOT included for all the price stated above & price is subject to change without prior notice



Retail Price: EM: RM3,199 WM: RM2,999

- · Sleek and Modern L shape design with black
- tempered glass with rose gold design
- with up to 2000Pa
- Noise level as low as 45 dB
- Al Grease Smart function able to detect the level of grease and adjust its suction power accordingly · Suction power: 2000 m3/h (with turbo boost)
- · Heat auto cleaning function
- Motion sensor technology
- · Exhaust / recirculation option
- Up to 5 speeds power
- · Cold plate glass is design to condense the grease
- and vapor, preventing them from escaping and directing them towards the oil cup for easy cleaning
- Metal oil cup which is 5 times bigger than traditional size
- · Recommended installation height from gas hob: 400mm ~ 500mm
- · Recommended installation height from electric hob: 300mm~ 450mm

- · Chimney cover
- 1st Glass Chimney
- -2nd Metal Chimney
- Stainless steel wall cap 3 meters aluminum hose
- (hose dimension: 180mm (7"))
- · Coring dimension at wall for installing wall cap: 150mm (6")
- Included: a connector will be provided to connect 180mm to 150mm for easy installation
- **Optional Accessories:**

Charcoal filter

Plug Used:













Retail Price: EM: RM2,249 WM: RM2,049

Highlights:

- · Sleek and modern design with black tempered glass which makes it very easy to clean
- Suction power: 1400 m3/h
- Heat auto cleaning function
- Exhaust / recirculation option
- Twin Charcoal Filter
- . Metal oil cup which is 5 times bigger than traditional size
- LED lights
- · Recommended installation height from gas hob: 400mm ~ 500mm
- · Recommended installation height from electric hob: 300mm ~ 450mm
- 2pcs Metal Chimney Cover

Optional Accessories:

- 3 meters aluminum hose (Hose dimension: 150mm (6"))
- Stainless steel wall cap

Plug Used:





BONITA Mystic Grey Heat Pro intelClean Chimney Cooker Hood Retail Price: EM: RM2,749 WM: RM2,549

Highlights:

- Premium grey tempered glass panel
- Suction power: 1600 m3/h (with Turbo Boost)
- Heat auto cleaning function (12 minutes heating and 3 minutes cooldown)
- · Air blocking glass panel open automatically when hood is in operation
- Stainless steel buffer filter
- Motion sensor technology
- · Exhaust/recirculation option
- · 3 speeds power
- LED lights
- Metal oil cup which is 5 times bigger than traditional size
- · 2pcs Metal Chimney Cover
- Stainless wall cap
- · 3 meters aluminum hose (hose dimension: 180mm (7"))
- · Recommended installation height: from gas & electric hob: 600mm – 700mm

Optional Accessories:

· Charcoal filter











DESIGNED FOR THE MODERN KITCHEN

1 6mm Slim Hidden Concept

S I

B

Ultra slim design blends seamlessly into your kitchen. Leaving you with an aesthetically pleasing art piece under its spotlight.

2 Stylish Touch Control

Simplistic panel design with responsive touch control adds a modern appeal to your ease of use.

3 Strong Suction Power

High-efficiency performance effectively removes any oil and odour to help minimise your kitchen cleaning chores.

4 Retractable Flip Glass Panel

Hassle-free retractable mechanism allows for easy cleaning of trapped grease while enhancing overall visual

5 3-Speeds Power Control

Different power settings to best suit various styles of cooking and ensure optimum efficiency.















THINGS NEED TO TAKE NOTE

before installing our CH1288RC Invisible Hood




STEP 1: If you can open a hole in your kitchen we will suggest you to open a hole to extract the grease out. P.S. Hose and Wall Cap are sold separately.




STEP 2: If you are not allowed to open a hole in your kitchen then you need to use our recirculation system to operate the Cooker Hood. Recirculation system consist of Aluminum Filter and Charcoal Filter.



STEP 3: If you are using recirculation system, please ensure that you have enough ventilation in your cabinet to allow clean air to flow. For example, some open ventilation holes on your cabinet door. This can also prevent your cabinet door from vibrating while operating the hood.



STEP 4: You can also open a hole at the top of your kitchen cabinet.



STEP 5: Kindly take note that the installation height between Cooker Hood and Stove, the recommended installation height is around 600mm.



STEP 6: To avoid the clip from breaking easily, please do not tighten it with electric drill; use only screw driver to tighten it.



PREMIUM

CH1288RC Invisible MultiHood

Model No:SZ-CH1288RC

- LED High Soft Touch Time Easy Cleaning Charcoal Stainless Suction Power Lamp Sensor Filter Steel Casing Delay Buffer Filte
- Remarks: Kitchen cabinet board thickness cannot exceed 18mm in order to install this invisible hood Remarks: For recycle mode, please ensure there is enough capacity in the cabinet for air to flow as air that release back by the hood might cause the cabinet door to vibrate during operation. You may consult our authorized dealers or customer service for further clarification.



Retail Price: EM: RM1,949 WM: RM1,749

Highlights:

- · Latest invisible concept & technology from Europe
- · Elegant and stylish design with 6mm black tempered glass which makes it very easy to clean
- Suction power: 1200m3/h
- Washable 6 layers aluminum filter & oil cup
- Modern and stylish touch control design for easy operation
- Exhaust / Recirculation option
- Twin Carbon Filters
- · 3 speeds power
- LED lights
- · Recommended installation height: according to kitchen cabinet height

Optional Accessories:

- 3 meters aluminum hose (hose dimension: 150mm (6"))
- · Stainless steel wall cap

Plug Used:







Retail Price: EM: RM2,149 WM: RM1,949

1	: Matte-finished, Heat Resistance Ceramic Glass FUTEX
ment	: Latest double cooking zone heat technology
ign	: Touch control system, LED display
	: 690mm x 420mm
	: Induction + Hi-Light Cooker Cook, stir-fry, steam, stew, barbeque, grille, simmer, roast
ply	: 220 – 240V – 50 / 60 Hz
ectricity	: 2W
one	:2
ange	: Total Power 2800W, Highest 2000W
	: 1440 minutes (24 hours)
er	: Up to 720 minutes (12 hours)
	*for induction side only
off	: 60 minutes
overheat	ing protection uilt-in
le Dimei	nsion : 670mm (W) × 400mm (L)

Plug Used: ... 13amp

- · Power sharing to save more energy
- . Hourly electric consumption as low as RM 0.20 per hour

Retail Price: EM: RM2,849 WM: RM2,649

Plug Used:

Direct Built-in wiring

el	: Matt-Finished Heat Resistance Ceramic Glass FUTEX
ement	: Germany EGO
sign	: Touch button
	: 690mm x 420mm
	: Cook, stir-fry, steam, stew, barbeque, grille, simmer, roast
ply	: 220 - 240V - 50 / 60Hz
ectricity	: 4W
one	: 4
	: Left and Right Zone: 0W – 2200W Inner Zone: 0W – 1000W Outer Zone: 0W – 2200W : 1440 minutes (24 hours)
	: 0 - 12 level
	: 60 minutes
	ing protection
le Dimer	nsion : 670mm (W) x 400mm (L)
ooturo	e.

- Highest cooking of up to Power 12, reach up to 574°C . Hourly electric consumption as low as RM 0.20 per hour*



GS388 Tri-Ringz Twin Burner Gas Stove PREMIUM Model No:SZ-GS388 **Triple Ring Burners** SELLER **Highlights:** • Tripe Rings for 4 x times the control . Has up to 6.4kW heat intensity Top-notch brass burner · Fast ignition technology Built-in Flame Failure Device (Auto gas cut-off within 10 seconds) Glass Size: 800mm x 460mm Heat Resistance Tempered Glass · Battery operated auto-ignition · Removable burner cap · Easy to clean · Safety valve · Gas type: LPG Gas Pressure : 2800 kPa · Free Standing or Built-in 710mm (W) x 400mm (L) Build-in Hole Dimension FAST 6.4 D Tri-Ringz IGNITION Triple Ring 6.4kW Heat CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards. OPERATION: 1) Pressed and hold the knob for 3 - 5 seconds before turning it. 2) After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out. : When either of the knobs is pressed, both ignition pins will light up, indicating that the gas is ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame. REMARK **Triple Ring For Three Times The Control**

CHOOSE YOUR GAS HOB



SENZ'

Retail Price: EM: RM1,899 WM: RM1,699



Special Wok Design To reduce heat during cooking



Heat resistance tempered glass












4.5


No SIRIM Certified

🔏 No Auto Gas Cut-Off

FLEXIBLE BASE

Can fit in variety of built-in hole 350-430 mm (W) x 650-750 mm (L)





Introducing our latest gas cooker with a flexible base that can be customized to fit a variety of hole sizes. Say goodbye to the hassle of finding a gas stove that fits your existing build-in hole. Our adjustable base provides the perfect solution for customers who are looking to upgrade to a new gas stove but worry about compatibility issues. Experience the convenience and peace of mind knowing that our gas cooker is designed with your needs in mind. Upgrade your kitchen with our versatile gas cooker today!

PREMIUM

QUADRO Flexible Base Sealed Burner Gas Stove

Model No:SZ-GS6852FL





Sealed Burner

Highlights:

- · Flexible Base, can fit in variety of build-in hole
- · Sealed burner for easy cleaning
- . Has up to 5.2kW Heat Intensity
- Top-notch brass burner
- Fast ignition technology
- Built-in flame failure device (auto gas cut-off within 10 seconds)
 Heat resistance tempered glass FureX
- · Battery operated auto-ignition
- · Removeable burner cap
- Safety valve
- · Gas type : LPG
- Gas pressure : 2800 kPa
- Glass Size: 780mm x 460mm
- · Free Standing or Built-in

Build-in Hole Dimension

- 650mm(W) x 350mm(L) New House
- Existing Hole : 650mm-750mm(W) - 350mm-430m(L)



GS368FL Flexible Base Sealed Burner Gas Stove Model No:SZ-GS368FL





New House

Highlights:

- · Flexible base, can fit in variety of built-in hole
- · Sealed burner for easy cleaning
- . Has up to 5.2kW heat intensity
- Top-notch brass burner
- Fast ignition technology
- Built-in flame failure device (Auto gas cut-off within 10 seconds)
 Heat resistance tempered glass Fur
- Battery operated auto-ignition
- Removeable burner cap
- Safety valve
- Gas type: LPG
- Gas pressure: 2800kPa
- Glass Size: 780mm x 460mm
- · Free Standing or Built-In



CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards OPERATION : 1) Pressed and hold the knob for 3 - 5 seconds before turning it. 2) After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out. REMARK : When either of the knobs is pressed, both ignition pins will light up, indicating that the gas is ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.





Retail Price: EM: RM1,799 WM: RM1,599





Special Wok Design To reduce heat during cooking



Futex Glass Heat resistance tempered glass





Retail Price: EM: RM1,799 WM: RM1,599

during cooking

Heat resistance tempered glass

- 650mm(W) x 350mm(L)
- : 650mm-750mm(W) 350mm-430m(L) Existing Hole







EMARKS: USE ONLY LOW PRESSUI REGULATOR FOR THIS APPLIANCE S 溪



GI668 2 in 1 Hybrid Smart Gas Hob **PREMIUM NEW** Model No:SZ-GI668





Induction:

- Touch control system
- Pause function
- Power supply : 220 240V 50Hz
- Standby electric : 2W
- 9 Speeds control at ease
- Cooking range : 2000W
- Timer : 1-240 minutes
- Auto cut-off : 60 minutes Child Safety Lock
- (Auto gas cut-off within 10 secs)
- Battery operated auto-ignition
- Removeable burner cap
- Safety vavle
- Gas type : LPG
- Gas pressure : 2800 kPa

Gas Stove:

Flexible Base

- Glass Size: 780mm x460mm
- Free Standing or Built-in

FAST Naura 🕺 IGNITION Futex 2 in 1 5.2kW Glass Smart Gas Hob Power

CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazard OPERATION : 1) Pressed and hold the knob for 3 - 5 seconds before turning it. 2) After flame ignites, keep pressing the knob for 5 more seconds before rele

PREMIUM	VRC868i 2 in 1 Sma	rt Cooker
	Model No:SZ-VRC868i	Highlights:
		Glass Panel
*	and the second s	Heating Element
		 Button Design
		 Glass Size
		 Function
		 Power Supply
		 Standby Electric
		 Cooking Zone
		 Cooking Range
		• Timer
		 Auto-Cut Off
		 Electronic overh
	SENZ	 Free Standing d
9 9 04		 Built-in Hole Dir
		Product Feat
		 Vertical design :
		 Power sharing
		 Hourly electric of
		 Matte-finished s
		 Heat resistance


- ished
- Heat resistance Easy to clean
- · Child Safely Lock
- Suit for all cookware materials Claypot Ceramic Glass Copper Cast Iron Stainless Normal Aluminium Steel Steel Non-stick

Matte-Finished Surface

Installation fees is NOT included for all the price stated above & price is subject to change without prior notice

Retail Price: EM: RM1,899 WM: RM1,699

	Retail Price: EM: RM	1,849 WM: RM1,649
ts:		Diug Llood
anel	: Matte-finished, Heat resistance ceramic glass FUTEX	Plug Used:
Element	: Latest single cooking zone heat technology	
Design	: Touch control system, LED display	
ze	: 510mm x 300mm	
l.	: Induction + Hi-Light Cooker, cook, stir-fry, steam, stew, barbeque, grille, simmer, roast	
upply	: 220 - 240V - 50 / 60Hz	
Electricity	: 2W	
Zone	:2	
Range	: Upper: 1600W, Lower: 1800W, Total Power Sharing: 2800W	
	: 99 minutes	
t Off	: 120 minutes	
ic overheat	ting protection	
nding or B		
Hole Dimen	nsion: 480mm(W) x 280mm(L)	
Feature	S:	
haring ot s	able for island or open kitchen concept ave more energy simption as low as RM 0.20 per hour ace	
clean		



*Purchase with Purchase (PWP) is applicable with purchase of MultiHood + MultiCooker package only

Remarks: There will be a variance of ±20°C from the temperature set during operation

Retail Price: EM: RM2,849 WM: RM2,649

Accessories Included:

- Sliding Ware x 1
- Drip Tray x 1

Plug Used:



Direct Built-in wiring



Retail Price: EM: RM2,749 WM: RM2,549

Accessories Included:

- Grill Rack x1
- · Glass tray x1

Roller Ring x1

Plug Used:


















With Remote Control

SERENO Black Glass Designer Pendant Hood - 750mm with Remote Control Retail Price: EM: RM2,699 WM: RM2,499

Highlights:

- Latest pendant hood design
- Modern black tempered glass design which makes it very easy to clean
- Modern and stylish touch control design
- · Remote control for easy operation
- Suction power: 1200 m3/h
- Recirculation option only
- Washable Buffer Filter
- LED lights
- Recommended installation height from gas or electric hob:
- 750mm or according to your ceiling height

Plug Used:

13amp

Dimension:



REMIUM NEW

VENTE Black Glass Designer Pendant Hood with Remote Control

Retail Price: EM: RM2,899 WM: RM2,699

Model No:SZ-ICH328



Highlights:


- Latest pendant hood design
- Modern black tempered glass design which makes it very easy to clean
- Modern and stylish touch control design
- Remote control for easy operation
- Suction power: 1200 m3/h
- Recirculation option only
- Washable Buffer Filter
- LED lights
- Recommended installation height from gas or electric hob:
- 750mm or according to your ceiling height

Plug Used: Dimension:


... 13amp


PREMIUM Collection

SENZ ADEL(CH9560DC)





SENZ STELLA DC (CH9166DC






SENZ VISTA(CH9670DC)










PREMIUM Collection SENZ CH1288RC	SENZ BARRISA (CH9832AC)	Collection SENZ SERENO(ICH608)
Agrin Agrin <t< td=""><td>400mm900-132gmm400mm900-132gmm900mm900mm900mm900mm</td><td><complex-block></complex-block></td></t<>	400mm900-132gmm400mm900-132gmm900mm900mm900mm900mm	<complex-block></complex-block>
SENZ SENSILLA(CH8822AC)	SENZ BRILO(ICH188)	


SENZ VENTE(ICH328)








70mm










REMARKS: USE ON REGULATOR FOR	
S	*
Low Pressure Regulator	High Pressure Regulator

: When either of the knobs is pressed, both ignition pins will light up, indicating that the gas is ready to ignite. However, the gas supply for each burner is separate, so only the burner that has been turned on will ignite and produce a flame.



- . Has up to 4.5kW heat intensity
- Product Dimension: 710mm x 410mm x 178mm
- Heat Resistance Tempered Glass FUTEX
- Removeable Burner Cap
- Gas Type: LPG
- Gas Pressure: 2800 kPA
- FAST **1**st (A.5) MS FUTE IGNITION First in 4.5kW Heat Safety Tempered SIRIM Malaysia Intensity Valve Glass Certified Glass

CAUTION : Please ensure that the burner cap is placed securely and evenly to prevent any gas leaks and potential fire hazards.





OPERATION : 1) Pressed and hold the knob for 3 - 5 seconds before turning it. 2) After flame ignites, keep pressing the knob for 5 more seconds before releasing it to prevent the flame from going out.

Retail Price: EM: RM2,199 WM: RM1,999

• Interior Material: Iron Coating Enamel Removable Door for Easy Cleaning • Triple Glazed Removable Tempered Glass

Accessories Included:

- Baking Tray x 1
- Wire Rack x 1

Plug Used:



Direct Built-in wiring



Retail Price: EM: RM1,599 WM: RM1,399

 Power Consumption : 240V ~ 50Hz, 1320W Operating Frequency : 2,450MHz


Accessories Included:


- Grill Rack x1
- Glass trav x1
- Roller Ring x1


Plug Used:




















SENZ OV7529




710mm 410mm 178mm P AI G\$303 SENZ







For Existing Hole




For New House

SENZ GS202






Ducting Hood



If you can make a coring hole in your kitchen wall, we will suggest you choose to open hole to install aluminium hose for extracting grease from your house

Ductless Hood



If you not able to make a coring hole in your kitchen wall, you'll need to install the hood as recirculation system. It consists of charcoal filter that function to filter the odour and release clean air back in your house.

WHEN INSTALLING A RECIRCULATING HOOD

note to prevent cabinet door vibrations while operating the hood

To ensure that you have enough ventilation in your cabinet to allow clean air to flow



Suggestion 1: Open a ventilation hole on your cabinet door.

SPECIAL ACCESSORIES :



Suggestion 2: Open a hole at inside and the top of your kitchen cabinet.


HONEYCOMB CHARCOAL FILTER

Compatible for all SENZ hood model including ducting hood (except model: SZ-CH9388AC, SZ-CH1288RC, SZ-CH6860AC)


**Install the honeycomb charcoal filter above the air outlet of your cooker hood

RECOMMENDED HOOD INSTALLATION HEIGHT

0 ANGLED/HERMOSA/ZAFFIRO COOKER HOOD DESIGN




Invisible Cooker Hood with Electric Stove at least 600mm



Hermosa/ Zaffiro Cooker Hood with Electric Stove at least 350 - 400mm

Hermosa/ Zaffiro Cooker Hood with Gas Stove at least 350 - 400mm



L SHAPE Cooker Hood with Electric Stove at least 300 - 450mm


L SHAPE Cooker Hood with Gas Stove at least 400 - 500mm

Invisible Cooker Hood with Gas Stove at least 600mm

GAS HOB INSTALLATION SAFETY GUIDE



GAS HOB INSTALLED WITHIN A CABINET




When installing a gas stove into a built-in cabinet, MAKE SURE there is sufficient space for proper ventilation within the cabinet to prevent any potential hazards. It is highly recommended to install a ventilation vent on the cabinet door for added safety.

2 USE ONLY LOW PRESSURE REGULATOR (LPG)




3 DO NOT ADJUST THE POSITION OF GAS CONNECTOR



ANY ATTEMPT TO ADJUST IT MAY CAUSE THE GAS CONNECTOR TO BREAK / LOOSEN AND MAY RESULT IN GAS LEAKING!!

WE ARE NOT HELD RESPONSIBLE FOR ANY ACCIDENT IF THIS HAS BEEN ADJUSTED. PLEASE CONTACT US 03-8052 1011 SHOULD YOU NEED TO ADJUST THE POSITION.



Customer satisfaction is SENZ's No.1 priority!

are saying about SENZ products!

Roszilah Embong Kajang, Selangor

I have been using the Senz Double Ceramic Multicooker for 12 years and it still functions well. It's worth it and makes my family happy. The best senz product quality and no.1. to those who choose a modern and up-to-date lifestyle, senz products are the right choice.

Charlie Chan Iskandar Puteri, Johor

I'm very happy and satisfied with the after sales service. Thank you.

Gunaraj Vangadajalapathy Port Dickson, Negeri Sembilan

Good customer service and fast response from service technician

chng alison Bayan Lepas, Pulau Pinang

I am very impressed with prompt response when consulting about doubts on the function. It is a 6-star customer service

de de de



SENZ Philosophy

The world changes at a rapid pace and SENZ embraces change. Performance, guality, and functionality - these are the attributes SENZ constantly improves for the better. The only thing that doesn't change is the vision of SENZ, which is to provide quality products to facilitate the modern lifestyle everyone desires.

From intelligent cleaning cooker hoods, powerful triple ring burner gas hobs, to energy saving MultiCookers - SENZ has got it all. Modernly designed and equipped with state-of-the-art technology, SENZ products will surely satisfy all your kitchen needs and cooking desires. Every SENZ product is quality assured and comes with professional, prompt after-sales service to better ensure you have the best SENZ experience.

Tri-Ringz



SENZ Marketing (M) Sdn Bhd 880141-K

SENZ HQ Showroom & Warehouse No.23 Jalan TPP 3, Taman Perindustrian Putra, Puchong, Selangor Darul Ihsan, Malaysia

General Enquires - WhatsApp:

• EN & BM Speaking Officer Assistance : 6019-9689226

Chinese Speaking Officer Assistance : 6019-6729226

Follow us on: @senz.malaysia

小红书 f (O) C

SENZ Authorized Dealer:







